

QUICK SPECIFICATIONS - CUSTOMER SUMMARY

Agency Name FOUNTAIN FIRE DEPT (CO.)
Contact Name MELVIN WIERZBICKI
Contact Phone 719-502-5008
Contact Email awierzbicki@fountainfire.org

Date 9/21/2026
Salesperson STEVE LYNN
Equipment Rep N/A
Project Manager JORDAN KOFFLER

CHASSIS

FORD F550 : INCLUDED SWEV STD

2027 FORD F550 SUPERDUTY CREW CAB. 4X4, 179" WB, 60" CA, DRW, 19,500 GVW, 6.7L POWERSTROKE DIESEL, RACE RED, FIRE PREP PKG.

DRIVETRAIN / SUSPENSION

BUCKSTOP SRW CONV : STAGE III CONVENTIONAL / FORD

BUCKSTOP SINGLE REAR WHEEL CONVERSION KIT INSTALLED TO CHASSIS. CONVERSION KIT INCLUDES: 5 TIRES & WHEELS, HIGH ARCH FENDER FLARES AND BODY MODIFICATIONS, OUTBACK BUMPER (WIDE), 3.5" SUSP. LIFT, SPEEDO, ABS, TRACTION CONTROL CALIBRATION MODULE / CORRECTION, RADFLO REMOTE RESERVOIR TUNED PERFORMANCE 2.5" SHAFT SHOCKS

REAR DECK CONFIGURATION

CONDENSED (CENTER)

CONDENSED REAR DECK SELECTION - L3 & R3 COMPARTMENT(S) POSSIBLE, PUMP CENTER MOUNTED

HOSE REEL MODEL

TOPSIDE DUAL

DUAL HANNAY MODEL: EF4038-17-18 (LT & RT) 12V ELECTRIC REWIND HOSE REELS MOUNTED TO TOP OF BODY ON LH & RH SIDES PER CONFIGURATION. PAINTED BLACK, 1" NH OUTLET THREADS, W/ STANDARD SPOOL STYLE ROLLER ASSEMBLIES
CAPACITY: 125' 1" / 200' 3/4

L3 POSITION

L3 COMPARTMENT

LIFT DOOR TOPSIDE COMPARTMENT INSTALLED TO L3 BODY POSITION. (32"W X 31.5"H X 18"D): VERTICAL LIFT DOOR WITH DUAL GAS SHOCKS. (2)
ADJUSTABLE SHELVES, D RING HANDLE, COMPARTMENT CIRCLE VENT AND LOUVER ASSY.
CTECH SINGLE ENCLOSED 6"D DRAWER INSTALLED TO BASE OF R3 COMPARTMENT FOR ADAPTER & APPLIANCE STORAGE.

R3 POSITION

R3 COMPARTMENT - STANDARD

LIFT DOOR TOPSIDE COMPARTMENT INSTALLED TO R3 BODY POSITION. (32"W X 31.5"H X 18"D): VERTICAL LIFT DOOR WITH DUAL GAS SHOCKS. (2)
ADJUSTABLE SHELVES, D RING HANDLE, COMPARTMENT CIRCLE VENT AND LOUVER ASSY.
CTECH SINGLE ENCLOSED 6"D DRAWER INSTALLED TO BASE OF R3 COMPARTMENT FOR ADAPTER & APPLIANCE STORAGE.

TOPSIDE PRECONNECT(S)

NONE

NO TOPSIDE PRECONNECTS INSTALLED

TOPSIDE - FRONT CROSSFRAME DUNNAGE

COFFIN BOX - STANDARD

TOPSIDE FRONT COFFIN BOX INSTALLED OVER L1/R1 TRANSVERSE (48"W X 18"D X 12"H). T LATCH HANDLE ON LID SURFACE, HINGED CAB SIDE, GAS SHOCK ASSIST, POWDERCOAT BK62

TOPSIDE - LH DUNNAGE

LH: 60.5" BASKET [REEL FWD, W/ L3]

TOPSIDE BASKET HEX PUNCH 60.5" X 18" X 12" PC BK62 (SMOOTH OUTER FACE TO OUTSIDE) REAR HEXES REMOVED FOR HANDLE AND LIGHT MOUNTING
INTEGRATED ANGLED HANDLE AND ENCLOSURE ON OUTSIDE REAR, BAJA S FLUSH MOUNT LIGHT ENCLOSURE ADDED

TOPSIDE - RH DUNNAGE**RH: 60.5" COFFIN (REEL FWD, W/ R3)**

TOPSIDE COFFIN BOX, T LATCH HANDLE ON TS OF LID, 60.5" X 18" X 12", W/ GAS SHOCK ASSIST, HINGED TO OUTSIDE - PC BK62
INTEGRATED ANGLED HANDLE AND ENCLOSURE ON OUTSIDE REAR, BAJA S FLUSH MOUNT LIGHT ENCLOSURE ADDED

PUMP CONTROL SYSTEM**DUAL CONTROLS: DARLEY EGOV DIGITROL 24K**

DIGITROL+ DUAL PANELS: AUX PANEL INSTALLED TO HAVIS CONSOLE
DUAL DIGITAL READOUT INTERFACES W/ HOUR MEETER, OIL PSI, ENG COOLANT TEMP, VOLT METER, AND DIGITAL PRESSURE
ELECTRONIC THROTTLE, PUSH BUTTON PRIMER,
INTEGRATED PRESSURE GOV, INTEGRATED AUTO SHUTDOWN: LOW OIL PRESSURE & LOSS OF WATER

FOAM SYSTEM**TRIDENT ATP**

TRIDENT FOAMATE 1.0 CLASS A ATP FOAM SYSTEM
BRASS HOUSING, PROPORTIONER STYLE - MOUNTED TO PLUMBING STEP FACE OR TO PUMP CONTROL AREA
INLINE 1/4 TURN VALVES FOR FOAM TANK DRAIN AND FOAM SUPPLY CONTROL
INSTALLED WITH FLEXIBLE PUSH TUBING, COLOR CODED FOR APPLICATION

PUMP**CENTER CONFIG: DARLEY 1-1/2AGE24K 3.17 RATIO EGOV**

DARLEY 1-1/2AGE 24K PUMP (3.17 RATIO) EGOV 2026+
HIGH PRESSURE, LOW VOLUME, GEAR DRIVEN, KUBOTA D902 DIESEL 24HP, LIQUID COOLED
STAINLESS STEEL WELDED PLUMBING, VICTAULIC GROOVES & COUPLINGS WHERE NECESSARY - AKRON 2.5" TANK-PUMP AND SUCTION VALVES,
FABRICATED VALVE STANDS, FUNCTION LABELS, ETC
TANK-PUMP LINKAGE CONTROLLED THROUGH VALVE STAND
ASSY INCLUDES TANK FILL - AKRON 1.5" W/ MINI NAV CONTROL(AT EXPANSION PANEL) VERTICAL FROM INITIAL DC ASSY

L1/R1 TRANSVERSE**OPTION 1: 400G / 18"**

TRANSVERSE OVERSLUNG CROSS FRAME L1 / R1 COMPARTMENT, NOTCHED CENTER AT 18"D TO ACCOMODATE 400 GAL POLYTANK. SWING DOOR - HINGED
CAB SIDE W/ GAS SHOCK, FIXED SHELF AT THRU SECTION MIDPOINT, D RING HANDLES (BLACK)
51.5" (31.5" TOPSIDE) H X 26"(18" THRU SECTION)W X 18"/SIDE (+60" THRU SECTION) D

STRIPING / GRAPHICS**CUSTOM GRAPHICS**

GRAPHICS TO BE INSTALLED PER CUSTOMER SPECIFICATIONS. PROOFS TO BE PROVIDED AND APPROVED. CUSTOM QUOTE REQUIRED [SEE PRINTS - Z
STRIPE TRIPLE OVERLAYED BODY STRIPE BLUE / WHITE - SHIELD LOGO DOORS, UNIT NUMBER CUT INTO STRIPE ON L3 / R3 (244) - FOUNTAIN FD GRAPHIC
ON SIDES OF COFFIN, UNIT # ON ROOF (244). RED / LIME CHEVRON REAR APRON

CHASSIS FINISH**CUSTOM PAINT**

CHASSIS TO BE REPAINTED TO DEPT SPECIFICATIONS AND MATCH FLEET. INSTRUCTION, CUSTOM QUOTE, AND CUSTOMER APPROVAL NEEDED - FLEET
MATCH METALLIC BLUE OVER RED
DEPT BLUE: SLNA 94266

RADIO INSTALLATION**SINGLE INSTALL, DEPT SUPPLIED RADIO KIT**

INSTALL DEPT SUPPLIED RADIO UTILIZING DEPT SUPPLIED ANTENNA BASE + COAX KIT - SINGLE RADIO INSTALL TO HAVIS (DOES NOT INCLUDE
PROGRAMMING) DEPT TO SPECIFY ANTENNA PLACEMENT AND PROVIDE RADIO MODEL #

TIRES**BUCKSTOP SRW: PETLAS**

335/80R20 PETLAS RM910 TIRES (5) - INCLUDED WITH BUCKSTOP SRW CONVERSION KIT AS STANDARD

WHEELS**BUCKSTOP SRW CONV ALUM WHEELS**

11"X20" BUCKSTOP REVERSIBLE DOT ALUM WHEELS (5)
POWDERCOATED BLACK W/ MACHINED ACCENTS

BUMPER**BUCKSTOP SRW: FORD F550 KIT BUMPER**

BUCKSTOP CONVERSION KIT HEAVY DUTY BUMPER WITH BRUSH GUARD [OUTBACK]. FULL TIRE COVERAGE, WINCH MOUNTING PLATE ASSY, 6" ROUND LIGHT CUTOUTS, DITCH LIGHT CUTOUTS. POWDERCOATED HAMMER BLACK - BK62

WINCH**WARN 16.5 TI, W/ SYNTHETIC CABLE (16,500 LB)**

WARN 16.5 TI 16,500 WINCH W/ SYNTHETIC CABLE INSTALLED IN BUCKSTOP FRONT BUMPER

CENTER CONSOLE**30" FORD 13.3" CONSOLE ASSY SINGLE RAD W/ PUMP CONT**

HAVIS 30" FORD VSW CONSOLE: RELOCATE OEM POWER POINTS TO FACE, DUAL CUPHOLDERS, DUAL ARMRESTS, STORAGE POCKETS, ACCESSORY PLATES, & FILLER PLATES TO ACCOMMODATE SELECTIONS
SINGLE RADIO, WITH IN CAB PUMP CONTROLS (DEPT SPECIFY RADIO)

HPI MODEL 1 BODY BASE**HPI MODEL 1 BODY BASE**

HPI MODEL 1 BODY BASE ASSY: ALUM REVERSED C CHANNEL FLATBED DECK, SMOOTH FRAME, SQUARE CORNER, NOTCHED FORWARD DECK CORNERS. STRAIGHT CORNER TAILBOARD W/ FULL WIDTH APRON STEP. FENDER SKIRTS, FENDER FLARES, BODY FRONT OVERLAY [ROCK GUARD], MUDFLAP KIT, DEF & DIESEL FILL KITS, DOT LIGHTING KIT, APRON HOSE BOX, L2 & R2 TOPSIDE COMPARTMENTS INCLUDED IN STANDARDIZED BODY ASSY (56"W X 31.5"H X 18"D); VERTICAL LIFT DOOR WITH DUAL GAS SHOCK, ADJUSTABLE SHELF, D RING HANDLE, COMPARTMENT CIRCLE VENT AND LOUVER ASSY.

AFT OF AXLE UNDERBODY**GUSSET ASSEMBLY (STANDARD)**

3/16 ALUMINUM GUSSETED REAR FLATBED UNDERBODY AFT OF AXLE ENCLOSURE KIT. DOUBLE ANGLE INWARD TO TIE FLATBED DECK TO APRON & DEFLECT FROM APRON.

TOPSIDE OVERLAY**MODEL 1 STANDARD TANK GRIP OVERLAY (400G / 500G)**

TEXTURED TOPSIDE DIAMOND TREAD PLATE OVERLAY INSTALLED TO TOP OF TANK AND TRANSVERSE COMPARTMENT TO FRONT OF BODY. OVERLAY TO BE NOTCHED FOR FILL TOWERS AND TOPSIDE PLUMBING DISTRIBUTION OUTLETS. OVERLAY MOUNTS TO TANK THREADED INSERTS. INTEGRATED D RINGS SPACED FOR SPARE TIRE RETENTION.
WALKWAY TO BE POWDERCOATED PRISMATIC SUPERGRIP BLACK PTB-6419

TOPSIDE ACCESS**DUAL REAR TOPSIDE ACCESS FLIP STEPS AND GRAB RAIL LH / RH SIDES**

DUAL FLIP STEPS INSTALLED TO BACK OF L3 & R3 DECK POSITIONS SPACED FOR TOPSIDE ACCESS W/ VERTICAL GRAB BAR ON EA SIDE - BLACK ANODIZED W BLUE BACKLIGHTING

TOPSIDE TIRE MOUNT**TRIPLE LOOPS & Y STRAP TO CATWALK**

STANDARD TOPSIDE SPARE TIRE RATCHETING Y STRAP, FASTEN SPARE TO TOPSIDE TANK WALKWAY D RINGS

L1/R1 TRANSVERSE ACCESSORIES**LOWER DUAL STACKED DRAWERS / SINGLE SIDE**

CTECH DUAL STACKED ENCLOSED 6"D DRAWERS INSTALLED TO BASE OF TRANSVERSE COMPARTMENT ON L1 SIDE FULL H WING PORTION

L1/R1 TRANSVERSE ACCESSORIES**CUSTOM - FOUNTAIN TUBES**

TUBES ADDED TO UNDERSIDE OF L1/R1 FULL W SHELF FOR LONG TOOL STORAGE ON UNDERSIDE OF SHELF THROUGH TUNNEL. 2 LOAD FROM DS, 3 LOAD FROM OS. 5 X PACT 1004 HANDLELOK BKTS INCLUDED AND MOUNTED IN LINE W EACH TUBE FOR RETENTION - SEE PRINTS

L2 OR R2 COMPARTMENT ACCESSORIES**SWEV FULL WIDTH WORK DRAWER W FOLDING LID (L2 OR R2 SIDE)**

CTECH FULL WIDTH (50"W) 6" DEEP DRAWER MOUNTED TO L2 OR R2 COMPARTMENT BASE [DEPT SPECIFY]). DRAWER TO HAVE FULL HINGED "WORK SURFACE" LID TO ENCLOSE TOP OF DRAWER WHEN EXTENDED, HINGED INSIDE EDGE W/ PIANO HINGE. FULL PERIMETER LIP AND CENTER SUPPORT

L2 OR R2 COMPARTMENT ACCESSORIES**CUSTOM - FOUNTAIN + SHELF**

ADDED ADJUSTABLE SHELF SET TO R2 COMPARTMENT MIDLINE - SHELF TO FIT EITHER L2 OR R2 COMPARTMENT. PC BK62

REEL ENCLOSURE**NONE**

NO REAR DECK HOSE REEL ENCLOSURES TO REA OF APPARATUS

BODY FINISH**POWDERCOATING - STANDARD**

ENTIRE MODEL 1 BODY TO BE POWDERCOATED AS FOLLOWS:

JOB COLOR: FLATBED DECK, APRON, RAILS, COMPARTMENTS INSIDE & OUTSIDE, HEX PUNCH GUARDS, ETC

BLACK BK62: SHELVES, ACCESSORY COMPONENT, STEPS, FENDER FLARES, TOPSIDE COFFIN BOXES, TOPSIDE BASKETS, DOOR HANDLES, CROSSFRAME

ROCK GUARD, ETC

BACK UP CAM**INSTALL FACTORY CAM TO BODY / WIRE TO DISPLAY**

FACTORY SUPPLIED BACK UP CAMERA TO BE PLACED AT REAR OF BODY AND INTEGRATED TO HEAD UNIT WITH OEM PROVIDED COMPONENTS AND WIRING HARNESS.

CAB STEPS**FACTORY**

FACTORY CAB STEPS TO BE UTILIZED.

BODY SIDE STEPS**BODY - SIDE ZICO (EA SIDE)**

(2) ZICO PS-8 MANUAL PULL OUT STEPS INSTALLED UNDER L1 & R1 AT REAR BOTTOM EDGE, TO ACCESS TOPSIDE DISCHARGES OR CARGO

BATT CHARGER**KUSSMAUL CHIEF 4012**

KUSSMAUL CHIEF SERIES BATTERY CHARGER W/ BUILT IN TOUCH DIISPLAY AND COMMUNICATIONS. IP32 RATED, PLC LOAD COMPENSATION BUILT IN. CHARGER MOUNTED TO INSIDE WALL OF TRANSVERSE COMPARTMENT, L1 SIDE. INPUT FROM AUTO EJECT AND OUTPUT TO BATTERY WIRING TO BE COVERED WITH Z FLANGE ALUMINUM WIRING COVER.

AUTO EJECT**KUSSMAUL CHIEF OLED, 20A, RED (4012)**

KUSSMAUL 20A SUPER AUTO EJECT W/ CHIEF SERIES OLED RED COVER INSTALLED TO DRIVERS SIDE FENDER SKIRT FORWARD OF REAR AXLE. DIGITAL CHARGE INDICATOR AND STATUS CENTER INTEGRATED TO COVER. PIGTAIL WHIP TO BE PROVIDED

120V OUTLET(S) BODY - SHORELINE**NONE**

NO SHORELINE POWER OUTLETS TO BE INSTALLED TO BODY

INVERTER POWER 2KW

FORD PRO POWER 2KW

FORD PRO POWER 2KW FACTORY INVERTER SYSTEM, POWER POINT FLUSH MOUNTED TO L2COMPARTMENT INSIDE WALL. DUAL 120V 20A OUTLETS W/ REMOTE POWER TRIGGER AND FACTORY HARNESS. INVERTER SYSTEM FACTORY INSTALLED UNDER REAR SEAT.

MASTER BATTERY**RED ETCHED ROCKER**

STANDARD MASTER POWER SWITCH TO SUPPLY POWER TO ALL NON OEM ACCESSORIES (LESS LOADS WIRED TO CONSTANT BATTERY PER DEPT SPECIFICATIONS). ROCKER SWITCH INSTALLED TO CONSOLE WITH RED ETCHED COVER "MASTER POWER" AND STAINLESS STEEL SWITCH SHROUD GUARD.

CORE ELECTRICAL DISTRIBUTION**STANDARD**

STANDARD CORE ELECTRONICS DISTRIBUTION AND POWER MANAGEMENT. CENTRALIZED AND LABELED FUSE BLOCKS, RELAYS, ELECTRICAL COMPONENT MOUNTING, SOLENOIDS, HEAVY GAUGE WIRE DISTRIBUTION AND JUNCTIONS / TERMINALS / CONNECTORS AS NEEDED TO COMPLETE.

DOOR AJAR SYSTEM**CAB & BODY DOORS, AUDIBLE + VISUAL**

STANDARD DOOR AJAR: RED LIGHT AND BUZZER INSTALLED TO CENTER CONSOLE. SYSTEM TO ALERT DOOR AJAR FOR ALL BODY DOORS THROUGH COMPARTMENT LIGHTING PRESSURE SWITCH CIRCUIT AND CAB DOORS THROUGH OBDII INTEGRAITON.

SCENE LIGHT SWITCHING**CAB & PUMP PANEL**

SCENE LIGHT SWITCHING - ALL SCENE AND WORK LIGHTS TO BE CONTROLLED FROM PUSH BUTTONS ON CCT7 W/ CLEARLY LABELED & BACKLIT CONTROLS. TOPSIDE WORK LIGHTS, REAR SCENE LIGHTS, DRIVER BODY SCENE LIGHTS, AND OFFICER BODY SCENE LIGHTS TO BE SWITCHED FROM BOTH CAB AND AT PUMP PANEL [ON OR OFF EITHER POSITION]. PUMP PANEL SWITCHES TO HAVE ETCHED COVERS FOR FUNCTION AND BACKLIT - BOTTOM LEFT IN ROW ON PUMP PANEL.

FRONT FOG LIGHTING**BAJA DESIGNS AMBER**

BAJA DESIGNS LP6 PRO AMBER RND FOG/DRIVING LIGHTS INSTALLED IN BUMPER ROUND CUTOUTS

FRONT BUMPER SCENE LIGHTING**LIGHTBAR - BAJA**

BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO TOP OF FRONT BUMPER, CENTERED IN FRONT OF WINCH ACCESS DOOR

BODY FRONT SCENE LIGHTING**WHELEN NP6BB BODY FRONT UPPER CORNERS (EA SIDE)**

(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO FRONT UPPER OUTSIDE CORNERS OF BODY [1/SIDE], ON ANGLED PEDASTAL BASE. LIGHTS DIRECTED AT DIAGONAL AWAY FROM VEHICLE

DRIVER SCENE LIGHTING**LIGHTBAR - BAJA**

BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO LH TOPSIDE STORAGE IN CUSTOM FLUSH MOUNT ENCLOSURE

OFFICER SCENE LIGHTING**LIGHTBAR - BAJA**

BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO RH TOPSIDE STORAGE IN CUSTOM FLUSH MOUNT ENCLOSURE

REAR WORK LIGHTING**WHELEN NP6BB UPPER REAR (DUAL)**

(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO REAR UPPER BODY ON ANGLED PEDASTAL BASE. LIGHTS INBOARD OF REAR UPPER WARNING LIGHTS

TOPSIDE WORK LIGHTING**STANDARD: 5 X 9" SUNSTRIP W/SHROUD**

TOPSIDE WORK / ACCESS LIGHTING - 9" FRC SUNSTRIP (5) DISTRIBUTED TO ILLUMINATE TOPSIDE OF APPARATUS AND ACCESS / WALKWAY & STEP. EXPOSED LIGHTS TO HAVE PROTECTIVE SHROUD COVER POWDERCOATED BK62.

ROCK LIGHTS**2 PER WHEEL POSITION ANGLED TO CENTER**

WHITE LED ROCK LIGHTS INSTALLED TO WHEEL OPENINGS, FRONT AND BACK OF EACH TIRE - ANGLED INWARDS. 2 / OPENING (8 TOTAL) SWITCHED TOGETHER.

GROUND LIGHTING**CAB DOOR POSITIONS & 2 UNDER APRON**

6" ROUND GROUND LIGHT

COMPARTMENT LIGHTING**STANDARD +1 (ADD L3) / FRC SUNSTRIP**

FRC SUNSTRIP STANDARD COMPARTMENT LIGHTING AT DOOR THRESHOLD AS FOLLOWS

TOPSIDE LIFT DOOR COMPARTMENTS: 27" [1 / SIDE]

L1/R1 TRANSVERSE: 45" ON LH AND RH DOOR, LATCH SIDE

ADDED CENTER: 45" AT TOP OF TRANSVERSE FORWARD UPPER EDGE. 45" UNDER SHELF

ARGES SYSTEM / REMOTE LIGHT**NONE**

NO WHELEN ARGES REMOTE SPOTLIGHT SYSTEM INSTALLED

SYSTEM / CONTROLLER**CENCOM CORE WCX C399 & CCTL7 21& SLIDE CONTROLLER, 3X CEM16 EXPANSION MODULES**

WHELEN CENCOM CORE WECAN X CONTROL SYSTEM, CCTL7 CONTROL HEAD, AND (3) CEM16 EXPANSION MODULES - 1 UNDER HOOD FOR FRONT ELECTRONICS, 2 IN PUMP PANEL FOR REAR ELECTRONICS. DVI, V2V, VSG, WHELEN CLOUD, WECANX CAPABLE.

INTEGRATED SYSTEM TO CONTROL ALL EMERGENCY WARNING, SCENE, AND LOAD OUTPUT FUNCTIONS THROUGHOUT APPARATUS.

PROGRAMMING**STD HARNESSSES**

PROGRAMMING AND INTEGRATION TO STANDARD UNLESS OTHERWISE DISCUSSED W AGENCY

PUSH BUTTON SCENE AND WORK, TOP ROW SIREN FUNCTIONS, PROGRAM H/F MODE AND TIE TO FACTORY HORN, OBDII INTEGRATE FOR PARK KILL FUNCTIONS VIA WHELEN SCANPORT, STD SLIDE SWITCH FLASH PATTERNS, ETC)UTILIZING J5 & J6 OUTPUTS FROM CEM16 (X3) AND DIRECT C399 CONNECTIONS. ALL REMOTE MODULES TO CONNECT TO CENCOM VIA J7 DATA HARNESSSES

LIGHT BEZEL FINISH**BLACK**

ALL WARNING LIGHT SHROUDS TO BE BLACK

LIGHTBAR**WHELEN LIBERTY II WCX (FORD CHASSIS)**

WHELEN LIBERTY II 54" LIGHTBAR W/ FORD F550 MOUNTING STRAP KIT. MOUNTED FRONT CAB, DUO RED / WHITE MODULES FRONT, DUO RED / AMBER MODULES REAR, RED / WHITE DUO CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, FRONT TAKEDOWNS

WHITE FUNCTIONS SWITCHED AS SCENE LIGHTS: FRONT SCENE, TAKE DOWN, L ALLEY, R ALLEY

SIREN SPEAKER**F550 GRILL MNT, SA315P**

WHELEN SA315P SIREN SPEAKER INSTALLED BEHIND GRILL W/ SUPER DUTY VEHICLE SPECIFIC SPEAKER MOUNT

FRONT LOWER WARNINGS**M6 R/W DUO, CLR LENS**

FRONT LOWER WARNING INSTALLED TO FRONT BUMPER, TOWARDS OUTSIDE - FORWARD FACING
WHELEN M6 SERIES RED W/ CLEAR LENS

FRONT LOWER WARNING BEZELS**M6 BLACK**

BLACK FLANGE BEZEL FOR M6

FRONT GRILL WARNINGS**T SERIES R/B DUO, CLR LENS**

FRONT GRILL WARNING INSTALLED TO BUMPER UPRIGHTS - FORWARD FACING
WHELEN T SERIES RED / BLUE DUO W/ CLEAR LENS

INTERSECTION WARNINGS**T SERIES R/B DUO, CLR LENS**

INTERSECTION WARNING LIGHTS INSTALLED TO FRONT FENDER NEAR TOP OF WHEEL ARCH, FORWARD - FACING TO LEFT & RIGHT OF APPARATUS
WHELEN T SERIES RED / BLUE DUO W/ CLEAR LENS

INTERSECTION WARNING BEZELS**NONE / T SERIES**

NO FLANGE BEZEL INSTALLED / T SERIES

MIDSHIP WARNINGS**T SERIES R/B DUO, CLR LENS**

MIDSHIP WARNING LIGHTS INSTALLED TO BEDRAIL CENTERED OVER WHEEL, FENDER FLARE - FACING TO LEFT & RIGHT OF APPARATUS
WHELEN T SERIES RED / BLUE DUO W/ CLEAR LENS

MIDSHIP WARNING BEZELS**NONE / T SERIES**

NO FLANGE BEZEL INSTALLED / T SERIES

DRIVER REAR LOWER WARNING**DS: M2 RED/AMBER**

WHELEN M2 SERIES LIGHTHEAD ML2DK (CLR) RED/AMBER DUO, DS REAR LOWER WARNING MOUNTED TO BEDRAIL NEAR DOT LIGHT

OFFICER REAR LOWER WARNING**OS: M2 BLUE/AMBER**

WHELEN M2 SERIES LIGHTHEAD ML2DM (CLR) BLUE/AMBER DUO, OS REAR LOWER WARNING MOUNTED TO BEDRAIL NEAR DOT LIGHT

REAR LOWER WARNING LIGHT BEZELS**M2 BLACK**

BLACK FLANGE BEZEL FOR M2

DRIVER REAR UPPER WARNING:**DS: M6V2 BLUE**

M6 V SERIES COMBINATION WARNING / PERIMETER LIGHT M6V2BC (CLR) BLUE, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER

OFFICER REAR UPPER WARNING:**OS: M6V2 RED**

M6 V SERIES COMBINATION WARNING / PERIMETER LIGHT M6V2RC (CLR) RED, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER

REAR UPPER WARNING LIGHT BEZELS**M6 BLACK**

BLACK FLANGE BEZEL FOR M6

SYNC MODULE**NONE**

NO WHELEN VEHICLE TO VEHICLE SYNC SYSTEM

OPTICOM**LED/IR 795H**

795H GTT IR OPTICOM INCLUDED AND PREINSTALLED TO LIGHTBAR CENTER. OPTICOM PROGRAMMED TO 3RD SLIDE POSITION, EMITTER PREWIRED TO TAKEDOWNS

HOWLER SYSTEM**HOWLER SYSTEM DUAL SPKR & AMP / UNIV BKTS**

WHELEN HOWLER LOW FREQUENCY SIREN SPEAKER SYSTEM INSTALLED. DUAL SPEAKERS, MOUNT KITS, AND CORE AMPLIFIER

REAR TRAFFIC ADVISOR**NONE**

NO REAR TRAFFIC ADVISOR INSTALLED

TRACERS - CAB**NONE**

NO WHELEN TRACER CAB SIDE WARNING LIGHTS INSTALLED

POLY TANK**APR 400 GAL**

MODEL 1 440 GALLON RECTANGULAR POLY TANK: 10 GAL INTEGRATED FOAM CELL, MOUNTING BACK, NUT INSERTS FRONT BOTT, TOPSIDE MOUNTING TAPS FOR WALKWAY

FOAM AND WATER FILL TOWERS ON DS EDGE, INLINE, WATER FILL ON TANK MIDLINE FORWARD OF FOAM CELL

UPPER RIGHT CORNER NOTCHED FOR TOPSIDE DISCHARGE OUTLETS, TANK SLEEVED FOR TOPSIDE DISTRIBUTION

59"W X 64"+2"L X 31.5" H

PRIMER**DARLEY 12V FLUIDLESS (PULL TO PRIME)**

DARLEY FLUIDLESS VANE 12V PRIMER, INSTALLED UNDER BODY. PRIMER FUSED W/ 400A MEGA BOLT STYLE FUSE UNDER HOOD. PRIMER CONTROL W/ PULL STYLE HANDLE MOUNTED TO REAR BEDRAIL

PUMP PANEL BOX OPTIONS**SWEV STANDARD BOX**

INTERNAL PUMP PANEL CONTROL BOX, W/ LED PANEL LIGHT, POWDERCOAT BK62

PUMP PANEL FACE OPTIONS**FACE 1: DARLEY EGOV**

REMOVEABLE PANEL FACE FOR DARLEY EGOV CONTROLS, BLACK FINISH WITH ETCHED FUNCTION LABELS

SUB PANEL BOX OPTIONS**SWEV EXPANSION PIGGYBACK PANEL & BLANK FACE**

SUB PANEL BOX INCLUDED FOR EXPANDED CONTROLS

FACE TO BE CUT FOR JOB SPECIFIC CONTROL MOUNTING NEEDS PER ENGINEERED DESIGN

RECIRC COOLER SYSTEM & CONTROL / FOAM CONTROL**SWEV 4 WAY PUMP COOLER AND FOAM SUPPLY SYSTEM**

4 POSITION VALVE COMBINATION PUMP COOLER, FOAM SUPPLY, AND FOAM FLUSH CONTROLS. VALVE MOUNTED TO PUMP CONTROL PANEL FACE WITH POSITION ETCHED LABELING. SUPPLY RECIRCULATING PUMP COOLER MODE, MODE OFF TO FOAM SUPPLY, MODE OFF TO FOAM FLUSH, REPEAT - ELIMINATE TANK FOAM OUT FROM ATP FOAM SYSTEM.

FRONT DISCHARGE**NONE**

NO FRONT BUMPER DISCHARGES INCLUDED AS CONFIGURED

GROUND SWEEPS**DUAL FRONT - ELECTRIC ACTUATED - SW IND IN CAB "LEFT SWEEP, RIGHT SWEEP"**

DUAL FRONT GROUND SWEEPS INSTALLED TO FRONT BUMPER. SWEEPS VALVED INDEPENDENTLY W/ ELECTRIC VALVES, SWEEP VALVE CONTROL AT HAVIS CONSOLE "LEFT SWEEP" & "RIGHT SWEEP" ETCHED ROCKER SWITCHES. IN LINE CHECK VALVES AND AUTO DRAINS TO BE INSTALLED.

PUMP FUEL SOURCE**CHASSIS DIESEL (24K)**

CHASSIS DIESEL FUEL TANK FOR FUEL SUPPLY TO PUMP: UTILIZE UPFITTER FUEL PICK UP & RETURN

PUMP REMOTE OIL**KUBOTA 24 DSL REMOTE OIL**

REMOTE OIL FILTER AND DRAIN KIT FOR 24K DIESEL PUMP

WATER LEVEL GAUGE**FRC TANKVISION PRO 400 WATER**

STANDARD: FRC TANKVISION PRO WATER LEVEL GAUGE (PRIMARY), TRANSDUCER, INSTALLED TO PUMP PANEL

IN CAB SLAVE WATER GAUGE**FRC TANKVISION WATER MINI**

FRC TANKVISION MINI REMOTE WATER LEVEL GAUGE, INSTALLED TO HAVIS CONSOLE

AUXILIARY WATER LEVEL GAUGE**FRC MAXIVISION - BODY SIDES (DUAL)**

FRC MAXIVISION, LARGE REMOTE WATER LEVEL GAUGE, INSTALLED TO SIDES OF BODY UPPER FORWARD DOOR FRAME (EA SIDE) L1 / R1, TIED TO VEHICLE IN PARK SIGNAL VIA SCANPORT

FOAM LEVEL GAUGE**TANK SIGHT TUBE**

TANK SIGHT WINDOW ONLY - NO ADDED FOAM LEVEL GAUGE

DISCHARGE DISTRIBUTION TO TOPSIDE**SINGLE SLEEVE TO TOPSIDE OUTLETS**

DISCHARGE PLUMBING SLEEVED THROUGH TANK TO FRONT CORNER OUTLET FOR CONNECTION TO TOPSIDE OUTLETS (X1)

HOSE REEL REWIND[S]**TOPSIDE DUAL: BEDRAIL/ INLINE**

DUAL PUSH BUTTON MOMENTARY REWIND SWITCHES MOUNTED TO BEDRAIL ON EACH SIDE OF APPARATUS, INLINE WITH HOSE REELS. ETCHED BEZELS "REWIND" INSTALLED TO BOTH SWITCHES.

HOSE REEL DISCHARGE PLUMBING**TOPSIDE DUAL - FORWARD**

STAINLESS STEEL HOSE REEL DISCHARGE PLUMBING FOR DUAL TOPSIDE HOSE REELS IN "REELS FORWARD" CONFIGURATION. FROM TOPSIDE OUTLET, 1" AKRON VALVE IN REEL INLET AREA W/ ETCHED VALVE LABEL "BOOSTER REEL" ON EACH HOSE REEL.

DRIVER DECK DISCHARGE ASSY

1.5" DISCHARGE - LH REAR BEDRAIL OF PLATFORM

STANDARD 1.5" DISCHARGE ON DRIVER SIDE REAR DECK CORNER. STAINLESS STEEL PLUMBING FROM PUMP INITIAL OUTLET ASSY. 1.5" AKRON VALVE W/ ETCHED VALVE LABEL "1.5" DISCHARGE"

OFFICER DECK DISCHARGE ASSY**DUAL 1.5" DISCHARGE - RH REAR BEDRAIL OF PLATFORM - STACKED**

STACKED AKRON 1.5" VALVES INLINE ON OFFICER SIDE DISCHARGE, BEZEL AND DOUBLE VALVE STAND

OFFICER SIDE DISCHARGE DISTRIBUTION ASSY**STANDARD CORNER DISTRIBUTION**

STANDARD OS CORNER DISTRIBUTION PLUMBING

DISCHARGE SUB ASSY - TANK FILL**CENTER DECK CONFIGURATION**

TANK FILL INCLUDED WITH CENTER DECK CONFIGURATION PUMP SELECTION

MASTER DRAIN**MASTER DRAIN (STD)**

STANDARD MASTER DRAIN VALVE: INSTALLED TO BOTTOM CORNER OF REAR APRON
DRAIN ALL PLUMBING, PUMP, AND LOW POINTS

SPECIALTY / CUSTOM DISCHARGE(S)**NONE**

NO CUSTOM OR SPECIALTY ADDED DISCHARGING REQUIRED

REAR CAB ORGANIZER**NONE**

NO REAR CAB ORGANIZER TO BE INSTALLED.

TOPSIDE ACCESSORIES**FOUNTAIN - CUSTOM DUNNAGE FENCE**

DUNNAGE FENCE RAIL INSTALLED AT REAR TANK EDGE BETWEEN LH & RH UPPDER STORAGE - PC BK62

WINCH ACCESSORIES**NONE**

NO WINCH ACCESSORIES INCLUDED

BOOSTER HOSE**1" LIGHTWEIGHT BOOSTER (NH FIELD REPLACEABLE)**

1" LIGHTWEIGHT BOOSTER HOSE COUPLED TO FIT HOSE REEL LENGTH - NH / RED RUBBER (100')

BOOSTER NOZZLE(S)**DUAL / NH: C&S 110/23**

C&S 110/23 DUAL GALLONAGE BOOSTER NOZZLE, 1" FNH (QTY 2) INCLUDED

REAR HOSE HOOK**SWEV ALUM HOSE HOOK ASSY**

REMOVEABLE HOSE HOOK KIT, REC MOUNTS AND ALUM 1"SQ TUBE HOOK - MOUNT PER PRINTS 1 REC + HOOK LH INSIDE AND RH INSIDE REAR WORK AREA
2/3 UP

DRIP TORCH MOUNTS**SWEV DUAL DRIP TORCH CADDY AND REAR BODY IN-USE MOUNT**

CUSTOM FAB DRIP TORCH REMOVEABLE TRAY CADDY MOUNT AND RAIL INSTALLED TO INSIDE WALL OF R3, STORES IN BODY WHEN NOT IN USE

DRIP TORCHES**NONE**

NO DRIP TORCHES INCLUDED

FLASHLIGHTS - MOUNT & WIRE**NONE**

NO HANDHELD FLASHLIGHTS INCLUDED OR INSTALLED

PAC MOUNT - BOOSTER NOZZLE(S)**DUAL / PAC FLEXTMOUNT**

PAC TOOL FLEXMOUNT INSTALLED TO EACH REEL BASE

PORTABLE RADIO CHARGERS - MOUNT & WIRE**DEPT SUPPLIED CHARGER(S) MOUNT & WIRE**

DEPARTMENT PROVIDED PORTABLE RADIO CHARGER(S) INSTALLED IN CAB AND WIRED TO CONSOLE 12V CONSTANT POWER

SPANNER / HYD WRENCH SET (MOUNTED)**NONE**

NO SPANNER AND HYDRANT WRENCH SET INCLUDED

TOW HOOK / SHACKLE [ADDED]**NONE**

NO ADDED 2" REC MOUNT SHACKLE INCLUDED

WHEEL CHOCKS AND MOUNTS**AC-32W W HORIZONTAL MOUNT - PAIR**

ZICO AC-32W WILDLAND COMPLIANT WHEEL CHOCK PAIR AND DUAL MOUNTS INCLUDED (SHIP LOOSE)

BULLETPoint MOUNT OPTIONS**SINGLE BALL MNT (CONSOLE)**

BULLETPoint 20MM BALL MOUNT ON FLAT PLATE INSTALLED TO CONSOLE

BULLETPoint ACCESSORIES**TABLET MOUNT**

BULLETPoint TABLET MOUNT AND 7CM CARBON FIBER ARM INCLUDED - INSTALL TO BULLETPoint MOUNT BASE IN CONSOLE AREA

CAB DOME LIGHTING**FACTORY**

FACTORY CAB DOME LIGHTING ONLY.

ON BOARD AIR**VIAIR SYSTEM W/ 2 X CONN POINTS (SPEC LOC.)**

VIAIR HEAVY DUTY ON-BOARD AIR SYSTEM P/N VA10007, MOUNT UNDER BODY, W/ AIR LINE CONNECTION AT BED RAIL (DEPT TO SPEC LOCATION)
PROVIDE COIL STYLE 15' AIR LINE W/ NOZZLE, DUST COVER

SPITZ LIFT HOIST**SPITZ LIFT CRANE 4' MANUAL**

SPITZ LIFT 4' FOLDING BOOM MANUAL CRANE, 20' MIL SPEC WEBBING W/ 1.25 TON HOOK LATCH, STRUCTURE MOUNT & ACCOMODATION TO BODY
TOPSIDE, HOIST POST MAST ADAPTER 26"
USED FOR RAISING / LOWERING SPARE TIRE FROM TOP OF APPARATUS

CUSTOM: ADDED LOOSE EQUIP

CUSTOM OPT-00457A - FOUNTAIN REAR SLIDE OUT

FORMED 3/16 ALUM SLIDE OUT TRAY INSTALLED TO APRON HOSE BOX TO RH SIDE OF SUCTION HOSE DIVIDERS - FULL L OF BODY TUNNEL - SLIDES ON INSTALLED STRIPS UHHMW POLY - SPLIT TO THIRDS WITH WELDED DIVIDERS. REAR THIRD TO HAVE FOLDING LID ON PIANO HINGE - DRAINAGE HOLES DRILLED CORNER OF EA PARTITIONED AREA

CUSTOM: ADDED LOOSE EQUIP**CUSTOM OPT-00457B - WINDOW TINT**

TINT FRONT CAB WINDOWS TO MATCH BACK - CERAMIC (JAKES YAKIMA TO COMPLETE)

HARD SUCTION**2.5" X BODY LENGTH - NH (2)**

2 SECTIONS OF 2.5" HARD SUCTION COUPLED TO BODY LENGTH AND INCLUDED, NH, PREINSTALLED TO APRON HOSE BOX, INCLUDES 2.5 BARREL STRAINER

REAR GRAB HANDLES**STANDARD (2@18")**

2 STANDARD GRAB HANDLES PROVIDED AND INSTALLED TO BACK OF APPARATUS IN TOPSIDE ACCESS WALKWAY / STEP AREA AS NEEDED

HITCH STEP**SWEV FOLDING HITCH STEP SHACKLE**

FABRICATED HITCH INSERT DROP STEP AND REC MOUNT SHACKLE COMBO

FLIP STEP ON DROP, 2.5" HITCH MOUNT, ACCEPTS / ADAPTS TO 2" & PRE INSTALLED W/ INCLUDED 2" HITCH SHACKLE, DOUBLE PINS, W/ INTEGRATED LIGHT WIRED TO GROUND LIGHTS ON PLUG

INTERNAL ENGINEERING**SWEV DESIGN ENGINEERING**

INTERNAL DESIGN TIME AND ENGINEERING, CONCEPT DRAWINGS AND APPROVAL PRINTS, JOB SPECIFIC LAYOUT ENGINEERING PER CONFIGURATION

PURCHASE MECHANISM**SOURCEWELL**

SOURCEWELL CONTRACT #020124-SEW UTILIZED

DEPT MUST PROVIDE SOURCEWELL MEMBER #

SALES REP**NONE / HOUSE DIRECT**

N/A HOUSE OR DIRECT : OUTSIDE OF SALES REP AREAS

FINAL INSPECTION**FINAL INSPECTION: ON SITE @ SWEV**

FINAL INSPECTION, IN SERVICE TRAINING, AND CUSTOMER ACCEPTANCE AT PRODUCTION FACILITY: YAKIMA, WA, CUSTOMER INSPECTION COSTS NOT INCLUDED IN PURCHASE

DELIVERY**DELIVERY: TO CUSTOMER - STEPDECK/LOWBOY**

DELIVERY TO CUSTOMER INCLUDED: YAKIMA, WA TO FOUNTAIN, CO

- STEPDECK / LOWBOY
