

QUICK SPECIFICATIONS - CUSTOMER SUMMARY

Agency Name	SAN MIGUEL COUNTY FIRE	Date	9/11/2026
Contact Name	ALLEN SANCHEZ	Salesperson	SOURCEWELL
Contact Phone	505-425-2855	Equipment Rep	JORDAN KOFFLER
Contact Email	ALLEN.SANCHEZ@CO.SANMIGUEL.NM.US	Project Manager	SHANNON CHERRY
		GSO Number	26115 & 26117

CHASSIS

RAM 5500 : INCLUDED SWEV STD

2026 RAM 5500 CREW CAB, 4X4, TRADESMAN, 173.4" WB, 60" CA, DRW, 19,500 GVW, 6.7L CUMMINS, AISIN AS69RC TRANS, FLAME RED

DRIVETRAIN / SUSPENSION

BUCKSTOP SRW CONV : STAGE III CONVENTIONAL / RAM

BUCKSTOP SINGLE REAR WHEEL CONVERSION KIT INSTALLED TO CHASSIS. CONVERSION KIT INCLUDES: 5 TIRES & WHEELS, HIGH ARCH FENDER FLARES AND BODY MODIFICATIONS, OUTBACK BUMPER (WIDE), 3.5" FRONT SUSP. LIFT, CONTROL ARMS LOCATING AXLE + SETTING CASTER ANGLE, HD TRACK BAR MOUNT, REAR LEAF SPRING BLOCKS & U BOLTS, SPEEDO CALIBRATION MODULE, RADFLO REMOTE RESERVOIR TUNED PERFORMANCE 2.5" SHAFT SHOCKS

REAR DECK CONFIGURATION

CONDENSED (CENTER)

CONDENSED REAR DECK SELECTION - L3 & R3 COMPARTMENT(S) POSSIBLE, PUMP CENTER MOUNTED

HOSE REEL MODEL

TOPSIDE DUAL

DUAL HANNAY MODEL: EF4038-17-18 (LT & RT) 12V ELECTRIC REWIND HOSE REELS MOUNTED TO TOP OF BODY ON LH & RH SIDES PER CONFIGURATION. PAINTED BLACK, 1" NH OUTLET THREADS, W/ STANDARD SPOOL STYLE ROLLER ASSEMBLIES

CAPACITY: 125' 1" / 200' 3/4

L3 POSITION

L3 COMPARTMENT

LIFT DOOR TOPSIDE COMPARTMENT L3

32"W X 31.5"H X 18" D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE, W/ CTECH DRAWER AT BASE

R3 POSITION

R3 COMPARTMENT - STANDARD

LIFT DOOR TOPSIDE COMPARTMENT R3

32"W X 31.5"H X 18" D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE, W/ CTECH DRAWER AT BASE

TOPSIDE PRECONNECT(S)

NONE

NO TOPSIDE PRECONNECTS INSTALLED

TOPSIDE - FRONT CROSSFRAME DUNNAGE

COFFIN BOX - STANDARD

TOPSIDE FRONT COFFIN BOX INSTALLED OVER L1/R1 TRANSVERSE (48"W X 18"D X 12"H). T LATCH HANDLE ON LID SURFACE, HINGED CAB SIDE, GAS SHOCK ASSIST, POWDERCOAT BK62

TOPSIDE - LH DUNNAGE

LH: 72.25" COFFIN (REEL FWD, W/ L3)

TOPSIDE COFFIN BOX, T LATCH HANDLE ON TS OF LID, 72.25" X 18" X 12", W/ GAS SHOCK ASSIST, HINGED TO OUTSIDE
PC BK62

TOPSIDE - RH DUNNAGE

RH: 72.25" COFFIN (REEL FWD, W/ R3)

TOPSIDE COFFIN BOX, T LATCH HANDLE ON TS OF LID, 72.25" X 18" X 12", W/ GAS SHOCK ASSIST, HINGED TO OUTSIDE

PC BK62

PUMP CONTROL SYSTEM

DUAL CONTROLS: DARLEY EGOV DIGITROL 24K

DIGITROL+ DUAL PANELS: AUX PANEL INSTALLED TO HAVIS CONSOLE

DUAL DIGITAL READOUT INTERFACES W/ HOUR MEETER, OIL PSI, ENG COOLANT TEMP, VOLT METER, AND DIGITAL PRESSURE

ELECTRONIC THROTTLE, PUSH BUTTON PRIMER,

INTEGRATED PRESSURE GOV, INTEGRATED AUTO SHUTDOWN: LOW OIL PRESSURE & LOSS OF WATER

FOAM SYSTEM

TRIDENT ATP

TRIDENT FOAMATE 1.0 CLASS A ATP FOAM SYSTEM

BRASS HOUSING, PROPORTIONER STYLE - MOUNTED TO PLUMBING STEP FACE OR TO PUMP CONTROL AREA

INLINE 1/4 TURN VALVES FOR FOAM TANK DRAIN AND FOAM SUPPLY CONTROL

INSTALLED WITH FLEXIBLE PUSH TUBING, COLOR CODED FOR APPLICATION

PUMP

CENTER CONFIG: DARLEY 1-1/2AGE24K 3.17 RATIO EGOV

DARLEY 1-1/2AGE 24K PUMP (3.17 RATIO) EGOV 2026+

HIGH PRESSURE, LOW VOLUME, GEAR DRIVEN, KUBOTA D902 DIESEL 24HP, LIQUID COOLED

STAINLESS STEEL WELDED PLUMBING, VICTAULIC GROOVES & COUPLINGS WHERE NECESSARY - AKRON 2.5" TANK-PUMP AND SUCTION VALVES, FABRICATED VALVE STANDS, FUNCTION LABELS, ETC

TANK-PUMP LINKAGE CONTROLLED THROUGH VALVE STAND

ASSY INCLUDES TANK FILL - AKRON 1.5" W/ MANUAL CONTROL VERTICAL FROM INITIAL DC ASSY

L1/R1 TRANSVERSE

OPTION 1: 400G / 18"

TRANSVERSE OVERSLUNG CROSS FRAME L1 / R1 COMPARTMENT, NOTCHED CENTER AT 18"D TO ACCOMMODATE 400 GAL POLYTANK. SWING DOOR - HINGED CAB SIDE W/ GAS SHOCK, FIXED SHELF AT THRU SECTION MIDPOINT, D RING HANDLES (BLACK)

51.5" (31.5" TOPSIDE) H X 26"(18" THRU SECTION)W X 18"/SIDE (+60" THRU SECTION) D

STRIPING / GRAPHICS

CUSTOM GRAPHICS

STRIPING PER DEPT SPECS AS FOLLOWS:

FRONT CAB DOOR GRAPHICS: DEPT LOGO

REAR CAB DOOR GRAPHICS: NONE

BODY STRIPE: 4.5 / .75 / .75 BLACK REF W/ CHECK UP INTO BODY MIDLINE FROM CAB LOWER - CARRY TO END OF BODY

CAB ROOF ID: "SMCB_" TO CAB ROOF BEHIND LIGHTBAR WHITE REF

REAR CHEVRON: NFPA BLACK & RED CHEVRON APRON INSERT AND BACK OF L3 & R3

REAR GRAPHICS: "KEEP BACK" OVER "343 FEET" ON BACK OF L3, CENTERED GOLD E TURN BLACK SHADOW, LOGO OPPOSITE ON R3

BODY SIDE GRAPHICS / ADDED LETTERING: "NM-SMC" CUT OUT OF STRIPE ON L3 & R3 "PROUDLY SERVING SAN MIGUEL COUNTY, NEW MEXICO" AND US / NM FLAG GRAPHIC ON SIDE OF TOPSIDE STORAGE

UNIT # "BRUSH" ARCHED OVER UNIT #, GOLD E TURN BLACK BORDER, SEE PRINTS

ACCENT GRAPHIC(S): "IN GOD WE TRUST" GOLD E TURN W BLACK BORDER OVER FRONT WHEEL OPENINGS

EMERGENCY DIAL 911 IN STRIPE CENTER GOLD E TURN L2 / R2

CHASSIS FINISH

CUSTOM PAINT

CHASSIS TO BE REPAINTED TO DEPT SPECIFICATIONS AND MATCH FLEET. TOP HALF OF CAB RESPRAY BLACK & RECLEAR. SEE PRINTS

RADIO INSTALLATION

NONE

NO RADIO INSTALLATION OR PRE INSTALL TO BE COMPLETED

TIRES

BUCKSTOP SRW: CONTINENTAL

335/80R20 CONTINENTAL MPT81 TIRES (5) - INCLUDED WITH BUCKSTOP SRW CONVERSION KIT AS STANDARD

WHEELS

BUCKSTOP SRW CONV ALUM WHEELS

11"X20" BUCKSTOP REVERSIBLE DOT ALUM WHEELS (5)

POWDERCOATED BLACK W/ MACHINED ACCENTS

BUMPER

BUCKSTOP SRW: RAM 5500 KIT BUMPER

BUCKSTOP CONVERSION KIT HEAVY DUTY BUMPER WITH BRUSH GUARD [OUTBACK]. FULL TIRE COVERAGE, WINCH MOUNTING PLATE ASSY, 6" ROUND LIGHT CUTOUTS, DITCH LIGHT CUTOUTS. POWDERCOATED HAMMER BLACK - BK62

WINCH

WARN 16.5 TI, W/ SYNTHETIC CABLE (16,500 LB)

WARN 16.5 TI 16,500 WINCH W/ SYNTHETIC CABLE INSTALLED IN BUCKSTOP FRONT BUMPER

CENTER CONSOLE

24" RAM 13.3" VSW CONSOLE ASSY DUAL RAD W PUMP CONT

HAVIS 24" RAM VSW ANGLED CONSOLE: RELOCATE OEM POWER POINTS TO FACE, DUAL CUPHOLDERS, DUAL ARMRESTS, STORAGE POCKETS, ACCESSORY PLATES, & FILLER PLATES TO ACCOMMODATE SELECTIONS

DUAL RADIOS, WITH IN CAB PUMP CONTROLS (DEPT SPECIFY RADIO)

HPI MODEL 1 BODY BASE

HPI MODEL 1 BODY BASE

HPI MODEL 1 BODY BASE ASSY: ALUM REVERSED C CHANNEL FLATBED DECK, SMOOTH FRAME, SQUARE CORNER, NOTCHED FORWARD DECK CORNERS. STRAIGHT CORNER TAILBOARD W/ FULL WIDTH APRON STEP. FENDER SKIRTS, FENDER FLARES, BODY FRONT OVERLAY [ROCK GUARD], MUDFLAP KIT, DEF & DIESEL FILL KITS, DOT LIGHTING KIT, APRON HOSE BOX, L2 & R2 TOPSIDE COMPARTMENTS INCLUDED IN STANDARDIZED BODY ASSY (56"W X 31.5"H X 18"D): VERTICAL LIFT DOOR WITH DUAL GAS SHOCK, ADJUSTABLE SHELF, D RING HANDLE, COMPARTMENT CIRCLE VENT AND LOUVER ASSY.

AFT OF AXLE UNDERBODY

GUSSET ASSEMBLY (STANDARD)

3/16 ALUMINUM GUSSETED REAR FLATBED UNDERBODY AFT OF AXLE ENCLOSURE KIT. DOUBLE ANGLE INWARD TO TIE FLATBED DECK TO APRON & DEFLECT FROM APRON.

TOPSIDE OVERLAY

MODEL 1 STANDARD TANK GRIP OVERLAY (400G / 500G)

TEXTURED TOPSIDE DIAMOND TREAD PLATE OVERLAY INSTALLED TO TOP OF TANK AND TRANSVERSE COMPARTMENT TO FRONT OF BODY. OVERLAY TO BE NOTCHED FOR FILL TOWERS AND TOPSIDE PLUMBING DISTRIBUTION OUTLETS.

OVERLAY MOUNTS TO TANK THREADED INSERTS. INTEGRATED D RINGS SPACED FOR SPARE TIRE RETENTION.

WALKWAY TO BE POWDERCOATED PRISMATIC SUPERGRIP BLACK PTB-6419

TOPSIDE ACCESS

DUAL REAR TOPSIDE ACCESS FLIP STEPS AND GRAB RAIL LH / RH SIDES

DUAL FLIP STEPS INSTALLED TO BACK OF L3 & R3 DECK POSITIONS SPACED FOR TOPSIDE ACCESS W/ VERTICAL GRAB BAR ON EA SIDE

TOPSIDE TIRE MOUNT

TRIPLE LOOPS & Y STRAP TO CATWALK

STANDARD TOPSIDE SPARE TIRE RATCHETING Y STRAP, FASTEN SPARE TO TOPSIDE TANK WALKWAY D RINGS

L1/R1 TRANSVERSE ACCESSORIES

LOWER ADJUSTABLE SHELF / L1 & R1

ADJUSTABLE SHELF ADDED TO OUTER WING PORTIONS OF L1/R1 TRANSVERSE COMPARTMENT (1/ SIDE). SHELF POWDERCOATED HAMMER BLACK - BK62.

L2 OR R2 COMPARTMENT ACCESSORIES

NONE

NO ADDED ACCESSORIES TO L2 OR R2 COMPARTMENTS

REEL ENCLOSURE

NONE

NO REAR DECK HOSE REEL ENCLOSURES TO REA OF APPARATUS

BODY FINISH

POWDERCOATING - STANDARD

ENTIRE MODEL 1 BODY TO BE POWDERCOATED AS FOLLOWS:

JOB COLOR: FLATBED DECK, APRON, RAILS, COMPARTMENTS INSIDE & OUTSIDE, HEX PUNCH GUARDS, ETC

BLACK BK62: SHELVES, ACCESSORY COMPONENT, STEPS, FENDER FLARES, TOPSIDE COFFIN BOXES, TOPSIDE BASKETS, DOOR HANDLES, CROSSFRAME ROCK GUARD, ETC

BACK UP CAM

INSTALL FACTORY CAM TO BODY / WIRE TO DISPLAY

FACTORY SUPPLIED BACK UP CAMERA TO BE PLACED AT REAR OF BODY AND INTEGRATED TO HEAD UNIT WITH OEM PROVIDED COMPONENTS AND WIRING HARNESS.

CAB STEPS

FACTORY

FACTORY CAB STEPS TO BE UTILIZED.

BODY SIDE STEPS

BODY - SIDE ZICO (EA SIDE)

(2) ZICO PS-8 MANUAL PULL OUT STEPS INSTALLED UNDER L1 & R1 AT REAR BOTTOM EDGE, TO ACCESS TOPSIDE DISCHARGES OR CARGO

BATT CHARGER

KUSSMAUL CHIEF 4012

KUSSMAUL CHIEF SERIES BATTERY CHARGER W/ BUILT IN TOUCH DIISPLAY AND COMMUNICATIONS. IP32 RATED, PLC LOAD COMPENSATION BUILT IN. CHARGER MOUNTED TO INSIDE WALL OF TRANSVERSE COMPARTMENT, L1 SIDE. INPUT FROM AUTO EJECT AND OUTPUT TO BATTERY WIRING TO BE COVERED WITH Z FLANGE ALUMINUM WIRING COVER.

AUTO EJECT

KUSSMAUL CHIEF OLED, 20A, RED (4012)

KUSSMAUL 20A SUPER AUTO EJECT W/ CHIEF SERIES OLED RED COVER INSTALLED TO DRIVERS SIDE FENDER SKIRT FORWARD OF REAR AXLE. DIGITAL CHARGE INDICATOR AND STATUS CENTER INTEGRATED TO COVER. PIGTAIL WHIP TO BE PROVIDED

120V OUTLET(S) BODY - SHORELINE

NONE

NO SHORELINE POWER OUTLETS TO BE INSTALLED TO BODY

INVERTER POWER 2KW

NONE

NO FACTORY INVERTER SYSTEM

MASTER BATTERY

RED ETCHED ROCKER

STANDARD MASTER POWER SWITCH TO SUPPLY POWER TO ALL NON OEM ACCESSORIES (LESS LOADS WIRED TO CONSTANT BATTERY PER DEPT SPECIFICATIONS). ROCKER SWITCH INSTALLED TO CONSOLE WITH RED ETCHED COVER "MASTER POWER" AND STAINLESS STEEL SWITCH SHROUD GUARD.

CORE ELECTRICAL DISTRIBUTION

STANDARD

STANDARD CORE ELECTRONICS DISTRIBUTION AND POWER MANAGEMENT. CENTRALIZED AND LABELED FUSE BLOCKS, RELAYS, ELECTRICAL COMPONENT MOUNTING, SOLENOIDS, HEAVY GAUGE WIRE DISTRIBUTION AND JUNCTIONS / TERMINALS / CONNECTORS AS NEEDED TO COMPLETE.

DOOR AJAR SYSTEM

CAB & BODY DOORS, AUDIBLE + VISUAL

STANDARD DOOR AJAR: RED LIGHT AND BUZZER INSTALLED TO CENTER CONSOLE. SYSTEM TO ALERT DOOR AJAR FOR ALL BODY DOORS THROUGH COMPARTMENT LIGHTING PRESSURE SWITCH CIRCUIT AND CAB DOORS THROUGH OBDII INTEGRATION.

SCENE LIGHT SWITCHING

CAB & PUMP PANEL

SCENE LIGHT SWITCHING - ALL SCENE AND WORK LIGHTS TO BE CONTROLLED FROM PUSH BUTTONS ON CCTL7 W/ CLEARLY LABELED & BACKLIT CONTROLS. TOPSIDE WORK LIGHTS, REAR SCENE LIGHTS, DRIVER BODY SCENE LIGHTS, AND OFFICER BODY SCENE LIGHTS TO BE SWITCHED FROM BOTH CAB AND AT PUMP PANEL [ON OR OFF EITHER POSITION]. PUMP PANEL SWITCHES TO HAVE ETCHED COVERS FOR FUNCTION AND BACKLIT - BOTTOM LEFT IN ROW ON PUMP PANEL.

FRONT FOG LIGHTING

BAJA DESIGNS AMBER

BAJA DESIGNS LP6 PRO AMBER RND FOG/DRIVING LIGHTS INSTALLED IN BUMPER ROUND CUTOUTS

FRONT BUMPER SCENE LIGHTING

NONE

NO FRONT SCENE LIGHTING INSTALLED TO BUMPER

BODY FRONT SCENE LIGHTING

WHELEN NP6BB BODY FRONT UPPER CORNERS (EA SIDE)

(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO FRONT UPPER OUTSIDE CORNERS OF BODY [1/SIDE], ON ANGLED PEDASTAL BASE. LIGHTS DIRECTED AT DIAGONAL AWAY FROM VEHICLE

DRIVER SCENE LIGHTING

LIGHTBAR - BAJA

BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO LH TOPSIDE STORAGE

OFFICER SCENE LIGHTING

LIGHTBAR - BAJA

BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO RH TOPSIDE STORAGE

REAR WORK LIGHTING

WHELEN NP6BB UPPER REAR (DUAL)

(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO REAR UPPER BODY ON ANGLED PEDASTAL BASE. LIGHTS INBOARD OF REAR UPPER WARNING LIGHTS

TOPSIDE WORK LIGHTING

STANDARD: 5 X 9" SUNSTRIP W/SHROUD

TOPSIDE WORK / ACCESS LIGHTING - 9" FRC SUNSTRIP (5) DISTRIBUTED TO ILLUMINATE TOPSIDE OF APPARATUS AND ACCESS / WALKWAY & STEP. EXPOSED LIGHTS TO HAVE PROTECTIVE SHROUD COVER POWDERCOATED BK62.

ROCK LIGHTS

2 PER WHEEL POSITION ANGLED TO CENTER

WHITE LED ROCK LIGHTS INSTALLED TO WHEEL OPENINGS, FRONT AND BACK OF EACH TIRE - ANGLED INWARDS. 2 / OPENING (8 TOTAL) SWITCHED TOGETHER.

GROUND LIGHTING

CAB DOOR POSITIONS & 2 UNDER APRON

ROM 6" GROUND LIGHT

COMPARTMENT LIGHTING

STANDARD +1 (ADD L3) / FRC SUNSTRIP

FRC SUNSTRIP STANDARD COMPARTMENT LIGHTING AT DOOR THRESHOLD AS FOLLOWS

TOPSIDE LIFT DOOR COMPARTMENTS: 27" [1 / SIDE]

L1/R1 TRANSVERSE: 45" ON LH AND RH DOOR, LATCH SIDE

ADDED CENTER: 45" AT TOP OF TRANSVERSE FORWARD UPPER EDGE. 45" UNDER SHELF

ARGES SYSTEM / REMOTE LIGHT

NONE

NO WHELEN ARGES REMOTE SPOTLIGHT SYSTEM INSTALLED

SYSTEM / CONTROLLER

CENCOM CORE WCX C399 & CCTL7 21& SLIDE CONTROLLER, 3X CEM16 EXPANSION MODULES

WHELEN CENCOM CORE WECAN X CONTROL SYSTEM, CCTL7 CONTROL HEAD, AND (3) CEM16 EXPANSION MODULES - 1 UNDER HOOD FOR FRONT ELECTRONICS, 2 IN PUMP PANEL FOR REAR ELECTRONICS. DVI, V2V, VSG, WHELEN CLOUD, WECANX CAPABLE.

INTEGRATED SYSTEM TO CONTROL ALL EMERGENCY WARNING, SCENE, AND LOAD OUTPUT FUNCTIONS THROUGHOUT APPARATUS.

PROGRAMMING

STD HARNESES

PROGRAMMING AND INTEGRATION TO STANDARD UNLESS OTHERWISE DISCUSSED W AGENCY

PUSH BUTTON SCENE AND WORK, TOP ROW SIREN FUNCTIONS, PROGRAM H/F MODE AND TIE TO FACTORY HORN, OBDII INTEGRATE FOR PARK KILL FUNCTIONS VIA WHELEN SCANPORT, STD SLIDE SWITCH FLASH PATTERNS, ETC)UTILIZING J5 & J6 OUTPUTS FROM CEM16 (X3) AND DIRECT C399 CONNECTIONS. ALL REMOTE MODULES TO CONNECT TO CENCOM VIA J7 DATA HARNESES

LIGHT BEZEL FINISH

BLACK

ALL WARNING LIGHT SHROUDS TO BE BLACK

LIGHTBAR

WHELEN LIBERTY II WCX (RAM CHASSIS)

WHELEN LIBERTY II 54" LIGHTBAR W/ RAM 5500 MOUNTING STRAP KIT. MOUNTED FRONT CAB, DUO RED / WHITE MODULES FRONT, DUO RED / AMBER MODULES REAR, RED / WHITE DUO CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, FRONT TAKEDOWNS

WHITE FUNCTIONS SWITCHED AS SCENE LIGHTS: FRONT SCENE, TAKE DOWN, L ALLEY, R ALLEY

SIREN SPEAKER

STANDARD, SA315P

WHELEN SA315P SIREN SPEAKER INSTALLED TO FRONT OF APPARATUS

FRONT LOWER WARNINGS

M4 R/W DUO, CLR LENS

FRONT LOWER WARNING INSTALLED TO FRONT BUMPER, TOWARDS OUTSIDE - FORWARD FACING

WHELEN M4 SERIES RED / WHITE DUO W/ CLEAR LENS

FRONT LOWER WARNING BEZELS

M4 BLACK

BLACK FLANGE BEZEL FOR M4

FRONT GRILL WARNINGS

T SERIES R/W DUO, CLR LENS

FRONT GRILL WARNING INSTALLED TO BUMPER UPRIGHTS - FORWARD FACING

WHELEN T SERIES RED / WHITE DUO W/ CLEAR LENS

INTERSECTION WARNINGS

T SERIES RED, CLR LENS

INTERSECTION WARNING LIGHTS INSTALLED TO FRONT FENDER NEAR TOP OF WHEEL ARCH, FORWARD - FACING TO LEFT & RIGHT OF APPARATUS

WHELEN T SERIES RED W/ CLEAR LENS

INTERSECTION WARNING BEZELS

NONE / T SERIES

NO FLANGE BEZEL INSTALLED / T SERIES

MIDSHIP WARNINGS

T SERIES RED, CLR LENS

MIDSHIP WARNING LIGHTS INSTALLED TO BEDRAIL CENTERED OVER WHEEL, FENDER FLARE - FACING TO LEFT & RIGHT OF APPARATUS

WHELEN T SERIES RED W/ CLEAR LENS

MIDSHIP WARNING BEZELS

NONE / T SERIES

NO FLANGE BEZEL INSTALLED / T SERIES

DRIVER REAR LOWER WARNING

DS: M2 RED/AMBER

WHELEN M2 SERIES LIGHTHEAD ML2DK (CLR) RED/AMBER DUO, DS REAR LOWER WARNING MOUNTED TO BEDRAIL NEAR DOT LIGHT

OFFICER REAR LOWER WARNING

OS: M2 RED/AMBER

WHELEN M2 SERIES LIGHTHEAD ML2DK (CLR) RED/AMBER DUO, OS REAR LOWER WARNING MOUNTED TO BEDRAIL NEAR DOT LIGHT

REAR LOWER WARNING LIGHT BEZELS

M2 BLACK

BLACK FLANGE BEZEL FOR M2

DRIVER REAR UPPER WARNING:

DS: M6V2 RED

M6 V SERIES COMBINATION WARNING / PERIMETER LIGHT M6V2RC (CLR) RED, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER

OFFICER REAR UPPER WARNING:

OS: M6V2 RED

M6 V SERIES COMBINATION WARNING / PERIMETER LIGHT M6V2RC (CLR) RED, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER

REAR UPPER WARNING LIGHT BEZELS

M6 BLACK

BLACK FLANGE BEZEL FOR M6

SYNC MODULE

NONE

NO WHELEN VEHICLE TO VEHICLE SYNC SYSTEM

OPTICOM

NONE

NO OPTICOM INCLUDED OR INSTALLED

HOWLER SYSTEM

HOWLER SYSTEM DUAL SPKR & AMP / UNIV BKTS

WHELEN HOWLER LOW FREQUENCY SIREN SPEAKER SYSTEM INSTALLED. DUAL SPEAKERS, MOUNT KITS, AND CORE AMPLIFIER

REAR TRAFFIC ADVISOR

REAR TRAFFIC ADVISOR

WHELEN TAL65 SURFACE MOUNT TRAFFIC ADVISOR (36") MOUNTED ON REAR FACING TOP LIP EDGE OF TANK TOPSIDE WALKWAY ON FABRICATED MOUNT ENCLOSURE (POWDERCOAT PTB-6419), TACTL5 STANDALONE TRAFFIC ADVISOR CONTROLLER INSTALLED TO VEHICLE DASH

TRACERS - CAB

NONE

NO WHELEN TRACER CAB SIDE WARNING LIGHTS INSTALLED

POLY TANK

UPF 400 GAL - MOD 1 STD

MODEL 1 440 GALLON RECTANGULAR POLY TANK: 10 GAL INTEGRATED FOAM CELL, MOUNTING BACK, NUT INSERTS FRONT BOTT, TOPSIDE MOUNTING TAPS FOR WALKWAY
FOAM AND WATER FILL TOWERS ON DS EDGE, INLINE, WATER FILL ON TANK MIDLINE FORWARD OF FOAM CELL
UPPER RIGHT CORNER NOTCHED FOR TOPSIDE DISCHARGE OUTLETS, TANK SLEEVED FOR TOPSIDE DISTRIBUTION
59"W X 64"+2"L X 31.5" H

PRIMER

DARLEY 12V FLUIDLESS (PULL TO PRIME)

DARLEY FLUIDLESS VANE 12V PRIMER, INSTALLED UNDER BODY. PRIMER FUSED W/ 400A MEGA BOLT STYLE FUSE UNDER HOOD. PRIMER CONTROL W/ PULL STYLE HANDLE MOUNTED TO REAR BEDRAIL

PUMP PANEL BOX OPTIONS

SWEV STANDARD BOX

INTERNAL PUMP PANEL CONTROL BOX, W/ LED PANEL LIGHT, POWDERCOAT BK62

PUMP PANEL FACE OPTIONS

FACE 1: DARLEY EGOV

REMOVEABLE PANEL FACE FOR DARLEY EGOV CONTROLS, BLACK FINISH WITH ETCHED FUNCTION LABELS

SUB PANEL BOX OPTIONS

SWEV EXPANSION PIGGYBACK PANEL & BLANK FACE

SUB PANEL BOX INCLUDED FOR EXPANDED CONTROLS

FACE TO BE CUT FOR JOB SPECIFIC CONTROL MOUNTING NEEDS PER ENGINEERED DESIGN

RECIRC COOLER SYSTEM & CONTROL / FOAM CONTROL

SWEV 4 WAY PUMP COOLER AND FOAM SUPPLY SYSTEM

4 POSITION VALVE COMBINATION PUMP COOLER, FOAM SUPPLY, AND FOAM FLUSH CONTROLS. VALVE MOUNTED TO PUMP CONTROL PANEL FACE WITH POSITION ETCHED LABELING. SUPPLY RECIRCULATING PUMP COOLER MODE, MODE OFF TO FOAM SUPPLY, MODE OFF TO FOAM FLUSH, REPEAT - ELLIMINATE TANK FOAM OUT FROM ATP FOAM SYSTEM.

FRONT DISCHARGE

AKRON 3462 FORESTRY MONITOR

AKRON 3462 FORESTRY MONITOR INSTALLED TO FRONT BUMPER. LOW FLOW NOZZLE, 12V, EXTERNAL PLUMBING COUNTOUR MATCHED TO FRONT BUMPER. CONTROL JOYSTICK MOUNTED OS FRONT EDGE OF HAVIS CONSOLE ON PEDASTAL BASE. PLUMBING FROM DISTRIBUTION DC PLUMBING UNDER BODY ON OFFICER SIDE. AUTO DRAINS AT LOW POINTS FRONT & REAR. PLUMBING IN WHEEL OPENING TO BE WRAPPED IN KEVLAR SHROUD.

GROUND SWEEPS

NONE

NO FRONT GROUND SWEEPS INSTALLED.

PUMP FUEL SOURCE

CHASSIS DIESEL (24K)

CHASSIS DIESEL FUEL TANK FOR FUEL SUPPLY TO PUMP: UTILIZE UPFITTER FUEL PICK UP & RETURN

PUMP REMOTE OIL**KUBOTA 24 DSL REMOTE OIL**

REMOTE OIL FILTER AND DRAIN KIT FOR 24K DIESEL PUMP

WATER LEVEL GAUGE**FRC TANKVISION PRO 400 WATER**

STANDARD: FRC TANKVISION PRO WATER LEVEL GAUGE (PRIMARY), TRANSDUCER, INSTALLED TO PUMP PANEL

IN CAB SLAVE WATER GAUGE**FRC TANKVISION WATER MINI**

FRC TANKVISION MINI REMOTE WATER LEVEL GAUGE, INSTALLED TO HAVS CONSOLE

AUXILLARY WATER LEVEL GAUGE**FRC MAXIVISION - BODY SIDES (DUAL)**

FRC MAXVISION, LARGE REMOTE WATER LEVEL GAUGE, INSTALLED TO SIDES OF BODY UPPER FORWARD DOOR FRAME (EA SIDE) L1 / R1, TIED TO VEHICLE IN PARK SIGNAL VIA SCANPORT

FOAM LEVEL GAUGE**TANK SIGHT TUBE**

TANK SIGHT WINDOW ONLY - NO ADDED FOAM LEVEL GAUGE

DISCHARGE DISTRIBUTION TO TOPSIDE**SINGLE SLEEVE TO TOPSIDE OUTLETS**

DISCHARGE PLUMBING SLEEVED THROUGH TANK TO FRONT CORNER OUTLET FOR CONNECTION TO TOPSIDE OUTLETS (X1)

HOSE REEL REWIND(S)**TOPSIDE DUAL: BEDRAIL/ INLINE**

DUAL PUSH BUTTON MOMENTARY REWIND SWITCHES MOUNTED TO BEDRAIL ON EACH SIDE OF APPARATUS, INLINE WITH HOSE REELS. ETCHED BEZELS "REWIND" INSTALLED TO BOTH SWITCHES.

HOSE REEL DISCHARGE PLUMBING**TOPSIDE DUAL - FORWARD**

STAINLESS STEEL HOSE REEL DISCHARGE PLUMBING FOR DUAL TOPSIDE HOSE REELS IN "REELS FORWARD" CONFIGURATION. FROM TOPSIDE OUTLET, 1" AKRON VALVE IN REEL INLET AREA W/ ETCHED VALVE LABEL "BOOSTER REEL" ON EACH HOSE REEL.

DRIVER DECK DISCHARGE ASSY**1.5" DISCHARGE - LH REAR BEDRAIL OF PLATFORM**

STANDARD 1.5" DISCHARGE ON DRIVER SIDE REAR DECK CORNER. STAINLESS STEEL PLUMBING FROM PUMP INITIAL OUTLET ASSY. 1.5" AKRON VALVE W/ ETCHED VALVE LABEL "1.5" DISCHARGE"

OFFICER DECK DISCHARGE ASSY**1.5" DISCHARGE - RH REAR BEDRAIL OF PLATFORM**

AKRON 1.5" VALVE OFFICER SIDE DISCHARGE, BEZEL AND VALVE DECK STAND

OFFICER SIDE DISCHARGE DISTRIBUTION ASSY**STANDARD CORNER DISTRIBUTION**

STANDARD OS CORNER DISTRIBUTION PLUMBING

DISCHARGE SUB ASSY - TANK FILL**CENTER DECK CONFIGURATION**

TANK FILL INCLUDED WITH CENTER DECK CONFIGURATION PUMP SELECTION

MASTER DRAIN**MASTER DRAIN (STD)**

STANDARD MASTER DRAIN VALVE: INSTALLED TO BOTTOM CORNER OF REAR APRON
DRAIN ALL PLUMBING, PUMP, AND LOW POINTS

SPECIALTY / CUSTOM DISCHARGE(S)

NONE

CUSTOM SPECIALTY DISCHARGING AS REQUIRED PER CUSTOMER SPECIFICATION

REAR CAB ORGANIZER

NONE

NO REAR CAB ORGANIZER TO BE INSTALLED.

TOPSIDE ACCESSORIES

NONE

NO ADDED TOPSIDE ACCESSORIES OR DIVIDERS INCLUDED

WINCH ACCESSORIES

FACTOR 55 ULTRAHOOK

INCLUDE FACTOR 55 ULTRAHOOK AND INSTALL IN PLACE OF FACTORY WARN WINCH HOOK

BOOSTER HOSE

1" STANDARD BOOSTER (NH)

1" BOOSTER HOSE COUPLED TO FIT HOSE REEL LENGTH - NH / RED RUBBER

BOOSTER NOZZLE(S)

DUAL / NH: HEN

HEN BLADE 20-T 1" NH NOZZLE AND HYDRO 100 SHUTOFF (QTY 2) INCLUDED

REAR HOSE HOOK

SWEV ALUM HOSE HOOK ASSY

REMOVEABLE HOSE HOOK KIT, DUAL REC MOUNTS AND SINGLE ALUM 1"SQ TUBE HOOK

DRIP TORCH MOUNTS

NONE

NO PROVIDED DRIP TORCH MOUNTS

DRIP TORCHES

NONE

NO PROVIDED DRIP TORCHES

FLASHLIGHTS - MOUNT & WIRE

NONE

NO HANDHELD FLASHLIGHTS INCLUDED OR INSTALLED

PAC MOUNT - BOOSTER NOZZLE(S)

DUAL / PAC FLEXTMOUNT

PAC TOOL FLEXMOUNT INSTALLED TO EACH REEL BASE

PORTABLE RADIO CHARGERS - MOUNT & WIRE

NONE

NO PORTABLE RADIO CHARGERS TO BE INSTALLED

SPANNER / HYD WRENCH SET (MOUNTED)

NONE

NO SPANNER AND HYDRANT WRENCH SET INCLUDED

TOW HOOK / SHACKLE (ADDED)

NONE

NO ADDED 2" REC MOUNT SHACKLE INCLUDED

WHEEL CHOCKS AND MOUNTS

AC-32W W HORIZONTAIL MOUNT - PAIR

ZICO AC-32W WILDLAND COMPLIANT WHEEL CHOCK PAIR AND DUAL MOUNTS INCLUDED (SHIP LOOSE)

BULLETPoint MOUNT OPTIONS

DUAL BALL MNT (DASH) VEH SPECIFIC: RAM 5500

BULLETPoint RAM 5500 VEH SPECIFIC DUAL 20MM BALL MOUNT INSTALLED TO DASH INSERT

BULLETPoint ACCESSORIES

NONE

NO BULLETPoint ACCESSORIES INCLUDED

CAB DOME LIGHTING

FACTORY

FACTORY CAB DOME LIGHTING ONLY.

ON BOARD AIR

NONE

NO ON BOARD AIR COMPRESSOR SYSTEM INSTALLED

SPITZ LIFT HOIST

SPITZ LIFT CRANE 4' MANUAL

SPITZ LIFT 4' FOLDING BOOM MANUAL CRANE, 20' MIL SPEC WEBBING W/ 1.25 TON HOOK LATCH, STRUCTURE MOUNT & ACCOMODATION TO BODY TOPSIDE, HOIST POST MAST ADAPTER 26"

USED FOR RAISING / LOWERING SPARE TIRE FROM TOP OF APPARATUS

CUSTOM: ADDED LOOSE EQUIP

NONE

NO CUSTOM ADDED LOOSE EQUIPMENT

HARD SUCTION

2.5" X BODY LENGTH - NH (2)

2 SECTIONS OF 2.5" HARD SUCTION COUPLED TO BODY LENGTH AND INCLUDED, NH, PREINSTALLED TO APRON HOSE BOX, INCLUDES 2.5 BARREL STRAINER

REAR GRAB HANDLES

STANDARD (2@18")

2 STANDARD GRAB HANDLES PROVIDED AND INSTALLED TO BACK OF APPARATUS IN TOPSIDE ACCESS WALKWAY / STEP AREA AS NEEDED

HITCH STEP

SWEV FOLDING HITCH STEP SHACKLE

FABRICATED HITCH INSERT DROP STEP AND REC MOUNT SHACKLE COMBO

FLIP STEP ON DROP, 2.5" HITCH MOUNT, ACCEPTS / ADAPTS TO 2" & PRE INSTALLED W/ INCLUDED 2" HITCH SHACKLE, DOUBLE PINS, W/ INTEGRATED LIGHT WIRED TO GROUND LIGHTS ON PLUG

INTERNAL ENGINEERING

SWEV DESIGN ENGINEERING

INTERNAL DESIGN TIME AND ENGINEERING, CONCEPT DRAWINGS AND APPROVAL PRINTS, JOB SPECIFIC LAYOUT ENGINEERING PER CONFIGURATION

PURCHASE MECHANISM

SOURCEWELL
SOURCEWELL UTILIZED

SALES REP

CUSTOM OPT-00468

SHANNON CHERRY / MES APPARATUS NEW MEXICO

FINAL INSPECTION

FINAL INSPECTION: ON SITE @ SWEV (TRIP INCLUDED) OPT-00458

INSPECTION COSTS FOR 3 PERSONNEL INCLUDED IN PURCHASE

DELIVERY

DELIVERY: TO CUSTOMER - STEPDECK/LOWBOY

DELIVERY TO CUSTOMER INCLUDED: YAKIMA, WA TO CUSTOMER LOCATION, FREIGHT QUOTE REQUIRED / ESTIMATE ONLY
- STEPDECK / LOWBOY
